



**Section 1 – Identification**

**Product Name:** Niu Frost Teeth Whitening Gel      **Manufacturer:** Keystone Industries  
 480 S Democrat Rd, Gibbstown, NJ 08027  
**Active Ingredient:** Hydrogen Peroxide 5%      **Information Contacts:** (856) 663-4700  
**Toll Free:** (800) 333-3131  
**Emergency Phone Numbers:** (800) 535-5053

**Family:** Teeth Whitening Gel  
**Product Use:** Professional Dental Bleaching Gel  
**Product #:** Various

**Section 2 – Hazards Identification**

<b>EMERGENCY OVERVIEW</b>	
This information is based on findings from related or similar materials.	
<ul style="list-style-type: none"> <li>Will cause eye irritation.</li> <li>May cause skin irritation (depending on duration of exposure).</li> <li>Prolong exposure may cause respiratory system irritation or burns.</li> <li>Ingestion of large amounts may cause nausea, vomiting, headaches, or dizziness.</li> <li>Weak Oxidizer that is stable under normal conditions.</li> </ul>	 

**Potential Health Effects, Signs and Symptoms of Exposure:**

**Primary Route of Entry**      Inhalation, skin, and ingestion.

**Eye**      Vapors are irritating to the eyes. Splashes will cause redness / burning sensation of the eye. Possible corneal injury.

**Skin**      Repeated/prolonged contact may cause irritation of the skin. Symptoms include redness, burning, or itching.

**Ingestion**      Swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing large amounts is harmful. Symptoms include irritation of the throat, nausea, dizziness, and upset stomach.

**Inhalation**      If fine mist is inhaled, irritation / burning of the respiratory tract will occur.

NOTE: Refer to Section 11, Toxicological Information for Details

**Section 3 – Composition/Information on Ingredients**

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure OSHA	Limits ACGIH	Carcinogen	%
				TWA/STEL	TWA/STEL		
Glycerol	56-81-5	200-289-5	Glycerin	(as respirable, mist) TWA = 5 mg/ m^3	(as mist) TWA = 5 mg/ m^3	IARC/NTP/OSHA Not listed	35-50
Hydrogen Peroxide	7722-84-1	231-765-0	Hydrogen Peroxide	TWA = 1ppm; 1.4 mg/m^3	TWA = 1ppm; 1.4 mg/m^3	Not Listed	4-7
Triethanolamine	102-71-6	203-049-8	Triethanolamine	N/E	TWA = 5mg/m^3	Not listed	2-6

N/E – None Established  
 N/DA – No Data Available  
 N/A – Not Applicable  
 N/R – Not Reviewed

**(items in parenthesis relate to 1999/45/EC)**

**Glycerol:** Danger Symbol – GHS07 (Xi)      Hazard Statement – H315 (R38), H319 (R36)      Precautionary Statement – P404 (S7), P403+ 235 (S3/9)

**Hydrogen Peroxide:** Danger symbol – GHS03 (O), GHS05 (C ), GHS07 (Xi)      Hazard Statement – H271 (R9), H332 (R20), H302 (R22), H314 (R34)  
 Precautionary Statement – P210 (S16), P220 (S17), P221 (S50), P280 (S36/37/39), P283 (S36/37/39), P306+360 (S27), P371+380+375 (N/A) , P370+378 (S43), P501 (S56)

**Triethanolamine:** Danger Symbol – GHS07 (Xi)      Hazard Statement – H319 (R36)      Precautionary Statement – P102 (S2), P361 (S27), P280 (S36/37), P280 (S39), P301+315 (S46)

See Section 16 for Hazard and Precautionary Statement Key.

**Section 4 – First Aid Measures**

**First Aid for Eye**      Immediately flush with water for 15 minutes, including under eyelids. Get medical help if discomfort persists.

**First Aid for Skin** Wash thoroughly with soap and water. Remove contaminated clothing. Get medical help if discomfort persists. People with pre-existing skin disorders or eye problems or impaired respiratory function may be more susceptible to the effects of the substance.

**First Aid for Ingestion** If greater than normal dose is swallowed, do not induce vomiting. Drink large quantity of water or milk. Seek medical attention.

**First Aid for Inhalation** Move to fresh air. If having breathing difficulty, give oxygen. Seek medical attention if discomfort persists.

**Section 5 – Fire Fighting Measures**

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A	N/A	N/A

**Method:**

**Extinguishing Media:** Water spray may be used to extinguish surrounding fire and cool exposed containers. Water spray may also reduce fumes and irritating gases.

**Fire Fighting Instructions:** General: Evacuate all personnel. Use self-contained breathing apparatus (SCBA) and full protective clothing to prevent exposure when the product is involved in a fire.

**Unusual Hazards:** Under fire conditions this product may emit toxic and / or irritating fumes and gases which aid combustion.

**Section 6 – Accidental Release Measures**

**Spill or Release Procedures** Minor spills – Clean up immediately, and wear appropriate personal protective equipment and clothing to minimize exposure. Place inert absorbent material onto spillage. Collect the material and place into a suitable labeled container. Clean contaminated area with soap and water.

Major spills – Clear area of personnel. Restrict access to area. Wear appropriate personal protective equipment. Make sure area is well ventilated prior to cleanup. Place inert absorbent material onto spillage. Collect the material and place into a suitable labeled container. Mop / wipe area with soap and water. Do not allow spill to reach waterway, drains, and sewers. See section 8 & section 12.

**Section 7 – Handling and Storage**

**Handling** Limit all unnecessary personal contact; avoid accidental contact; wear appropriate PPE.

**Storage** Store in a cool, well ventilated area away from heat, sparks and flame. Keep containers closed when not in use. Keep in original container provided by manufacturer. Avoid sunlight. Store according to local legislation. Ideally, keep refrigerated.

**Explosion Hazard** None.

**Section 8 – Exposure Controls / Personal Protection**

**Engineering Controls** General exhaust is adequate under normal operating conditions.

**Personal Protective Equipment**

**General** To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product.

**Eye/ Face Protection** Operator should wear safety glasses with side shields or chemical goggle. Ensure eye bath is on hand.

**Skin Protection** Operator should use impermeable clothing to prevent ANY skin contact with this product, such as gloves, apron, boots, or cotton overalls.

**Respiratory Protection** In case of insufficient ventilation (lack of engineering controls), wear suitable respiratory equipment.

**Section 9 – Physical and Chemical Properties**

Appearance	Odor & Odor Threshold	pH	Specific Gravity	Viscosity	% Volatile		
Gel	Minty	N/A	(H2O = 1): N/A	N/A	N/A		
Boiling Point/ Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/DA	N/DA	N/A	N/A	N/A	N/A	N/A

<b>Flash Point (°F/°C)</b>	<b>Flammable Limit (vol%)</b>	<b>Auto-ignition Temperature (vol%)</b>
N/A	N/A	N/A

### Section 10 – Stability and Reactivity

<b>Stability:</b> Stable under normal conditions	<b>Incompatibility (Materials to Avoid):</b> Keep away from combustible liquids; strong acids / bases
<b>Hazardous Decomposition Products:</b> Release of toxic / irritating fumes which are capable of supporting combustion	<b>Hazardous Polymerization:</b> Will not occur
<b>Conditions to Avoid:</b> Heat, incompatible materials, and sunlight	

### Section 11 – Toxicological Information

<b>Acute Oral Toxicity</b>	<b>Acute Dermal Toxicity</b>	<b>Acute Inhalation Toxicity</b>	<b>Irritation – skin</b>	<b>Irritation – Eye</b>
N/DA	N/DA	N/DA	N/DA	N/DA
<b>Sensitization</b>		<b>Mutagenicity</b>	<b>Sub-chronic Toxicity</b>	
N/DA		N/DA	N/DA	

### Section 12 – Ecological Information

#### Ecotoxicological Information

<b>Acute Toxicity to Fish</b>	<b>Acute Toxicity to Invertebrates</b>	<b>Acute Toxicity to Algae</b>	<b>Bioconcentration</b>	<b>Toxicity to Sewage Bacteria</b>
N/DA	N/DA	N/DA	N/DA	N/DA

#### Chemical Fate Information

<b>Biodegradability</b>	N/E
<b>Chemical Oxygen Demand</b>	N/DA

### Section 13 – Disposal Considerations

Dispose of in compliance with governmental regulation (state and federal). Repeatedly rinse empty containers with water before disposing in landfill.

Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

### Section 14 – Transport Information

<b>DOT (49 CFR 172)</b>	
Proper Shipping Name:	Non-regulated material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	N/A
<b>Emergency Response Guidebook (ERG) #:</b>	<b>N/A</b>
<b>IATA (DGR):</b>	Non-regulated material
Proper Shipping Name:	N/A
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	N/A
<b>Emergency Response Guidance (ICAO)#:</b>	
<b>IMO (IMDG):</b>	
Proper Shipping Name:	Non-regulated material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	N/A
<b>Emergency Schedule (EmS)#:</b>	<b>N/A</b>

<b>Other Information:</b>	N/A
---------------------------	-----

**Section 15 – Regulatory Information**

**US Federal Regulations**

Clean Air Act: HAP/ODS	This product contains the following HAP’s or ODS: <ul style="list-style-type: none"> <li>• NONE</li> </ul>
Clean Water Act: Priority Pollutant	This product contains the following chemicals listed under the U. S. Clean Water Act Priority Pollutant and Hazardous Substance List: <ul style="list-style-type: none"> <li>• None</li> </ul>
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other applications as an indirect food-packaging additive.
Occupational Safety and Health Act	This product is considered to be hazardous under the OSHA Hazard Communication Standard. It’s hazards are: <ul style="list-style-type: none"> <li>• Hydrogen Peroxide CAS #7722-84-1 (Corrosive)</li> <li>• Triethanolamine CAS #102-71-6: (Eye Irritant)</li> </ul>
RCRA	This product contains the following chemicals considered to be hazardous waste under RCRA ( 40 CFR 261). <ul style="list-style-type: none"> <li>• None</li> </ul>
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous substances.
SARA Title III: Section 302 (TPQ)	This product contains chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification (“CERCLA” List): <ul style="list-style-type: none"> <li>• Hydrogen Peroxide CAS #7722-84-1: 1,000 lbs (&gt;52%)</li> </ul>
SARA Title III: Section 311-312:	This product is considered to be hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). It’s hazards are: <ul style="list-style-type: none"> <li>• Hydrogen Peroxide CAS #7722-84-1 (Corrosive)</li> <li>• Triethanolamine CAS #102-71-6 (Eye Irritant)</li> </ul>
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: <ul style="list-style-type: none"> <li>• None</li> </ul>
TSCA Section 8(b): Inventory:  TSCA Significant New Use Rule:	This product does contain chemicals listed on the TSCA inventory or otherwise complies with TSCA pre-manufacture notification requirements. <ul style="list-style-type: none"> <li>• Hydrogen Peroxide CAS #7722-84-1</li> <li>• Triethanolamine CAS #102-71-6</li> </ul> None of the chemicals in this material have a SNUR under TSCA.



**State Regulations**

CA Right-to-Know Law: California No Significant Risk Rule:	<ul style="list-style-type: none"> <li>• Hydrogen Peroxide CAS #7722-84-1</li> </ul> None
MA Right-to-Know Law:	<ul style="list-style-type: none"> <li>• Glycerol CAS # 56-81-5</li> <li>• Hydrogen Peroxide CAS #7722-84-1</li> <li>• Triethanolamine CAS #102-71-6</li> </ul>
NJ Right-to-Know Law:	<ul style="list-style-type: none"> <li>• Glycerol CAS # 56-81-5</li> <li>• Hydrogen Peroxide CAS #7722-84-1</li> <li>• Triethanolamine CAS #102-71-6</li> </ul>
PA Right-to-Know Law:	<ul style="list-style-type: none"> <li>• Glycerol CAS # 56-81-5</li> <li>• Hydrogen Peroxide CAS #7722-84-1</li> <li>• Triethanolamine CAS #102-71-6</li> </ul>
FL Right-to-Know Law:	<ul style="list-style-type: none"> <li>• Hydrogen Peroxide CAS #7722-84-1</li> </ul>
MN Right-to-Know Law:	<ul style="list-style-type: none"> <li>• Glycerol CAS # 56-81-5</li> <li>• Hydrogen Peroxide CAS #7722-84-1</li> <li>• Triethanolamine CAS #102-71-6</li> </ul>

**International Regulations**

CDSL: Canadian Inventory (on Canadian Transitional List)	<ul style="list-style-type: none"> <li>• Glycerol CAS # 56-81-5</li> <li>• Hydrogen Peroxide CAS #7722-84-1</li> <li>• Triethanolamine CAS #102-71-6</li> </ul>
--	---

Labeling according to EC directives – 1272/2008 {CLP} AND 1999/45/EC (items in parenthesis relate to 1999/45/EC)



European Community:   	<b>For Niu Frost 5% Hydrogen Peroxide Teeth Whitening Gel (finished product):</b> <ul style="list-style-type: none"> <li>• DANGER SYMBOLS: <b>GHS07 (Xi)</b> – Warning / Irritant</li> <li>• HAZARD STATEMENT: <b>H316 (N/A)</b>, Causes mild skin irritation. <b>H319 (R36)</b>, Causes serious eye irritation. <b>H335 (R37)</b>, May cause respiratory irritation. <b>H303 (N/A)</b>, May be harmful if swallowed.</li> <li>• PRECAUTIONARY STATEMENT: <b>P102 (S2)</b>, Keep out of reach of children. <b>P261(S24)</b>, Avoid breathing dust/fume/gas mist/vapour sprays. <b>P280 (S36/37/39)</b>, Wear protective gloves/clothing/eye protection/face protection. <b>P309+314 (S45)</b>, If exposed or you feel unwell, get medical advice/attention.</li> </ul>
--	--

**Section 16 – Other Information**

EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):

(items in parenthesis relate to 1999/45/EC) <b>Danger Symbols:</b> GHS07 (Xi) – Warning / Irritant. GHS03 (O) – Oxidizer. GHS05 (C) – Corrosive <b>Hazard Statement:</b> <b>H271 (R9)</b> – May cause fire or explosion; strong oxidizer. <b>H301 (R25)</b> , Toxic if swallowed. <b>H315 (R38)</b> , Causes skin irritation. <b>H316 (N/A)</b> , Causes mild skin irritation. <b>H318 (R41)</b> Causes serious eye damage. <b>H319 (R36)</b> , Causes serious eye irritation. <b>H332 (R20)</b> , Harmful if inhaled. <b>H302 (R22)</b> , Harmful if swallowed. <b>H314 (R34)</b> , Causes severe skin burns and eye damage. <b>H303 (N/A)</b> , May be harmful if swallowed <b>Precautionary Statement:</b> <b>P102 (S2)</b> , Keep out of reach of children. <b>P260 (S23)</b> , Do not breathe dust/fume/gas/mist/vapors/spray. <b>P261 (S24)</b> , Avoid breathing dust/fume/gas mist/vapor sprays. <b>P262 (S25)</b> , Do not get in eyes, on skin, or on clothing. <b>P280 (S36/37/39)</b> , Wear protective gloves/clothing/eye protection/face protection. <b>P309+314 (S45)</b> , If exposed or you feel unwell, get medical advice/attention. <b>P404 (S7)</b> , Store in a closed container. <b>P403+235 (S3/9)</b> , Store in a well ventilated place. Keep cool. <b>P210 (S16)</b> , Keep away from heat/sparks/open flames/hot surfaces – no smoking. <b>P220 (S17)</b> , Keep/store away from clothing/combustible materials. <b>P221 (S50)</b> , Take any precaution to avoid mixing with combustibles. <b>P283 (S36/37/39)</b> , Wear fire resistant / retardant clothing. <b>P305+360 (S27)</b> , If on clothing, rinse immediately contaminated clothing and skin with plenty of water before removing clothing. <b>P371+380+375 (N/A)</b> , In case of major fire and large quantities, evacuate area, fight fire remotely due to risk of explosion. <b>P370+378 (S43)</b> , In case of fire, use water for extinction. <b>P501 (S56)</b> , Dispose of contents / container properly. <b>P361 (S27)</b> , Remove/ Take off immediately all contaminated clothing. <b>P301+315 (S46)</b> , If swallowed, get immediate medical advice / attention.
--

**Hazard Rating System (Pictograms)**

<b>NFPA:</b>  	<b>HMIS:</b>  
---	---

MSDS Prepared by:	WME
Revision History:	01/18/11 Initial
	05/01/13 Changed manufacturer from Deepak to Keystone, changed address and telephone number SWR

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable.

Keystone Industries components are provided on an as is basis without warranties of any kind either expressed or implied. Keystone does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said Keystone components.