

# Material Safety Data Sheet

May be used to comply with  
 OSHA's Hazard Communication Standard,  
 29 CFR 1910.1200. This Standard must be  
 consulted for specific requirements.

# U.S. Department of Labor

Occupational Safety and Health Administration  
 (Non-Mandatory Form)  
 Form Approved  
 OMB No. 1218-0072

IDENTITY <i>(As Used on Label and List)</i> <b>STIPPLED WAX, MESH WAX</b>	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
--	---

## Section I

Manufacturer's Name <b>KEYSTONE INDUSTRIES</b>	Emergency Telephone Number (800) 535-5053
Address <i>(Number, Street, City, State, and ZIP Code)</i> 616 Hollywood Av	Telephone Number for Information (856) 663-4700
Cherry Hill, NJ 08002	Date Prepared Reviewed April, 3, 2007
	Signature of Preparer <i>(optional)</i>

## Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% <i>(optional)</i>
<b>N/A</b>				

## Section III - Physical/Chemical Characteristics

Boiling Point	<b>380°F</b>	Specific Gravity (H <sub>2</sub> O = 1)	<b>0.935</b>
Vapor Pressure (mm Hg.)	<b>N/A</b>	Melting Point	<b>170°F - 178°F</b>
Vapor Density (AIR = 1)	<b>N/A</b>	Evaporation Rate (Butyl Acetate = 1)	<b>N/A</b>
Solubility in Water <b>NONE</b>			
Appearance and Odor			

#### Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) <b>Open Cup - 480°F</b>	Flammable Limits	LEL	UEL
Extinguishing Media <b>Foam, Dry Chemicals</b>			
Special Fire Fighting Procedures <b>None</b>			
Unusual Fire and Explosion Hazards <b>None</b>			

#### Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable <b>X</b>		
Incompatibility (Materials to Avoid) <b>None</b>			
Hazardous Decomposition or Byproducts <b>None</b>			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur <b>X</b>		

#### Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
--------------------	-------------	-------	------------

Health Hazards ( <i>Acute and Chronic</i> )			
<b>None</b>			
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
Signs and Symptoms of Exposure			
Medical Conditions			
Generally Aggravated by Exposure			
Emergency and First Aid Procedures <b>Flush with water</b>			

**Section VII - Precautions for Safe Handling and Use**

Steps to Be Taken in Case Material is Released or Spilled
<b>Recover free solids, add absorbent to spill area</b>
Waste Disposal Method
<b>Incinerate</b>
Precautions to Be taken in Handling and Storing
<b>Keep containers closed, avoid excessive heat or direct flame</b>
Other Precautions
<b>None</b>

**Section VIII - Control Measures**

Respiratory Protection ( <i>Specify Type</i> )		
<b>N/A</b>		
Ventilation	Local Exhaust	Special
	<b>Normal Ventilation</b>	

	Mechanical (General)	Other
--	----------------------	-------

Protective Gloves <b>Oil Proof</b>	Eye Protection <b>Protective Goggles</b>
Other Protective Clothing or Equipment <b>None</b>	
Work/Hygienic Practices <b>Normal Precautions</b>	

**Section IX - Special Precautions**

Precautions to be taken in Handling and Storing <b>None</b>
Other Precautions

Each MSDS must be reviewed for correctness and completeness every three years.

Revision date: **April 3, 2007**